

Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

EL SEVIER

Contents lists available at ScienceDirect

Science of the Total Environment

journal homepage: www.elsevier.com/locate/scitotenv



COVID-19 outbreak: Migration, effects on society, global environment and prevention




Indranil Chakraborty^a, Prasenjit Maity^{b,*}

- ^a Department of Chemistry, Kharagpur College, Kharagpur 721305, Paschim Medinipur, West Bengal, India
- ^b Department of Chemistry, Sabang Sajanikanta Mahavidyalaya, Lutunia, Paschim Midnapore Pin-721166, West Bengal, India

HIGHLIGHTS

- Covid-19 disease originated in December 2019, Wuhan, Hubei Province, China.
- WHO has declared the COVID-19 pandemic as a global health emergency.
- It affected society and global economy.
- It also affected global environment.

GRAPHICAL ABSTRACT



ARTICLE INFO

Article history: Received 18 April 2020 Received in revised form 19 April 2020 Accepted 20 April 2020 Available online 22 April 2020

Editor: Jianmin Chen

Keywords: COVID-19 Pandemics Global health Economic Prevention

ABSTRACT

The COVID-19 pandemic is considered as the most crucial global health calamity of the century and the greatest challenge that the humankind faced since the 2nd World War. In December 2019, a new infectious respiratory disease emerged in Wuhan, Hubei province, China and was named by the World Health Organization as COVID-19 (coronavirus disease 2019). A new class of corona virus, known as SARS-CoV-2 (severe acute respiratory syndrome coronavirus 2) has been found to be responsible for occurrence of this disease. As far as the history of human civilization is concerned there are instances of severe outbreaks of diseases caused by a number of viruses. According to the report of the World Health Organization (WHO as of April 18 2020), the current outbreak of COVID-19, has affected over 2164111 people and killed more than 146,198 people in more than 200 countries throughout the world. Till now there is no report of any clinically approved antiviral drugs or vaccines that are effective against COVID-19. It has rapidly spread around the world, posing enormous health, economic, environmental and social challenges to the entire human population. The coronavirus outbreak is severely disrupting the global economy. Almost all the nations are struggling to slow down the transmission of the disease by testing & treating patients, quarantining suspected persons through contact tracing, restricting large gatherings, maintaining complete or partial lock down etc. This paper describes the impact of COVID-19 on society and global environment, and the possible ways in which the disease can be controlled has also been discussed therein.

© 2020 Elsevier B.V. All rights reserved.

* Corresponding author. *E-mail address:* prasenjitchem89@gmail.com (P. Maity).

1. Introduction

Pandemics in general are not merely serious public health concern, rather these trigger disastrous socio-economic and political crises in the infected countries. COVID-19, apart from becoming the greatest threat to global public health of the century, is being considered as an indicator of inequity and deficiency of social advancement. As is implied in the name COVID-19, 'CO' stands for 'corona,' 'VI' for 'virus,' and 'D' for disease, and 19 represents the year of its occurrence. Coronavirus is a single stranded RNA virus with a diameter ranging from 80 to 120 nm. The first modern COVID-19 pandemic was reported in December 2019, in Wuhan, Hubei province, China and most initial cases were related to source infection from a seafood wholesale market (Huang et al., 2020). Since then, the disease rapidly circled the globe and has eventually affected every continent except Antarctica. It has been categorized as a pandemic by the World Health Organization (World Health Organization, 2020). International Committee on Taxonomy of Viruses (ICTV) named the virus as severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Gorbalenya et al., 2020). According to WHO, in 2002-2003, more than 8000 people suffered and 774 died of a coronavirus, called SARS. In 2012, MERS-CoV pandemic broke out infecting more than 2494 persons and killing over 858 lives worldwide (WHO, 2004, 2013). Coronaviruses belong to a large diverse family of viruses. These can be categorized into four genera namely, α -, β -, γ -, and δ. All the previously discussed coronaviruses responsible for worldwide spread of pandemic, namely SARS, MERS-CoV and SARS-CoV-2 are β-

Apart from COVID-19, the human civilization has witnessed at least five pandemics in the current century, e.g. H1N1 in 2009, polio in 2014, Ebola (out broke in West Africa in 2014), Zika (2016) and Ebola (Democratic Republic of Congo in 2019). Subsequently COVID-19 outbreak has been declared as the sixth public health emergency of international concern on 30 Jan 2020 by the WHO. These worldwide outbreaks triggered a large number of fatalities, morbidities, and cost billions of dollars (Allocati et al., 2016; Fan et al., 2019). Compared to other diseases and their respective burdens, COVID-19 is likely to cause as much or greater human suffering than other contagious diseases in the whole world. In addition, other global environmental changes such as soil degradation, ozone layer depletion, pollution, and urbanization, changing environment creates an indisputable threat to our planet and human health. Global warming has its roots in industrial development, with the huge release of CO₂ during the industrial revolution and beyond, finally allowing the greenhouse effect to take place. To some extent COVID-19 outbreak may be considered as an indirect consequence of global environmental changes. Besides its upsetting effects on human life, the novel coronavirus disease (COVID-19) has the potential to significantly slowdown the economy not only of China, USA, or India but also of the world as a whole. Therefore, healthcare personnel, governments and the public in general need to show solidarity and fight shoulder to shoulder for prevention and containment of the pandemic (Yoo, 2020). In the present paper, our main focus is to highlight the impacts of COVID-19 on environment & society, and attempt has been made to point out the preventive routes for minimizing the risk factors.

2. COVID-19 pandemic

The outbreak of the new coronavirus infection, COVID-19 was initiated from the Hunan seafood market in Wuhan city of China in December 2019, and within a couple of months it has turned out to be a global health emergency. Live animals like bat, frog, snake, bird, marmot and rabbit are frequently sold at the Hunan seafood market (Wang et al., 2020b). Genomic analysis revealed that SARS-CoV-2 is phylogenetically related to severe acute respiratory syndrome-like (SARS-like) bat viruses, bats could therefore be the possible primary source. Although the intermediate source of origin and transfer to humans is not clearly known, the rapid human to human spreading capability of this virus

has been established. As per the latest update of WHO on 18 April 2020, the outbreak of COVID-19 had spread in more than 200 countries. Approximately 146,198 people had died after contracting the respiratory virus out of nearly 2,164,111 confirmed cases, whereas more than 402,989 people have recovered from the disease. These numbers are changing rapidly. The detailed up-to-date information about COVID-19, is available in the WHO website at https://www.who.int/emergencies/diseases/novel-coronavirus-2019. Daily infection of COVID-19 has been steadily raising worldwide (Fig. 1).

More than 200 countries/regions have reported confirmed COVID-19 cases, including China, Italy, Iran, S. Korea, India, Switzerland, Taiwan, USA, Sweden, Singapore, Sri Lanka, France, Australia, Malaysia, Spain, United Arab Emirates, UK, Nepal, Finland, Netherlands, Japan, Belgium, Russia, Thailand, Philippines, Cambodia, and Germany (Fig. 2). After hitting China in January 2020, COVID-19 severely out broke in countries like South Korea, Iran, and Italy in late February and early March, 2020. As far as the number of COVID infected patients is concerned, USA is at the top of the list followed by Spain (Fig. 1). In USA, more than 30,000 people died of this disease. According to the report of the Chinese government and the WHO, the current outbreak has infected some 84,180 people in China out of which more than 4642 people have died so far as of April 18. The first case of coronavirus outbreak in India was reported on 30 January 2020 in Kerala's Thrissur district when a student had returned home from Wuhan University in China (Rawat and Mukesh, 2020). The Health Ministry of India has confirmed 14,378 cases of coronavirus infection and 480 deaths in the country so far on 18.04.2020. On the one hand the very high transmissibility of the virus is responsible for its worldwide spread, the improvement and accessibility of international travel & tourism could be a reason for its further worldwide spread on the other hand. Every year, different parts of the world organize various religious, socio-cultural, scientific, sport, and political mass gathering festivals. These types of mass gatherings are likely to exaggerate many of the risk factors of COVID-19, and have historically been associated with outbreaks of disease both in local and international levels. The emergence and spread of COVID-19 from Asia to the Americas, Africa and the Europe represent a global pandemic threat (Fig. 3).

3. COVID-19 and global health

The relationship between human health and disease is neither a new concept, nor a new subject. The emergence COVID-19 in China at the end of 2019 has caused a large global outbreak and is a major public health issue. This virus is highly infectious and can be transmitted through droplets and close contact. The human to the human spreading of the virus occurs due to close contact with an infected person exposed to coughing, sneezing, respiratory droplets or aerosols (Fig. 4). These aerosols can penetrate the human body (respiratory system) via inhalation through nose or mouth (Phan et al., 2020; Riou and Althaus, 2020). The clinical spectrum for individuals with COVID-19 infection ranges from mild or non-specific signs and symptoms of acute respiratory illness such as fever, cough, fatigue, shortness of breath, to severe pneumonia with respiratory failure and septic shock, which are very similar to other coronavirus diseases (Backer et al., 2020). The presenting features of COVID-19 disease in adults are pronounced. It is a matter of great importance to clarify the correlation between COVID-19 and immune-rheumatologic patients. Taking into consideration the quick and frantic spread of the epidemic, health of rheumatic patients is a matter of prime concern. COVID-19 being a respiratory disease, damage of the tissues of Lungs is quite obvious, but there is report that other organs and tissues may also be affected. Since viral shedding in plasma or serum is common in respiratory tract infections, there is a possibility of transmission of coronaviruses through the transfusion of labile blood products. COVID-19 is a major public health concern for the world's population and is a leading cause of hospitalization and death, particularly for middle and old age people in the affected countries.




Fig. 1. The comparative study of COVID-19 cases of India with other Country. (Source: WHO, 2020, Accessed date: 18 April 2020).

4. COVID-19 and economy

Loss of lives due to any pandemic causes definite irretrievable damage to the society. But apart from this, COVID-19 has severely demobilized the global economy. In order to restrict further transmission of the disease in the community, many of the affected countries have decided to undergo complete lock down. Major international flights and also all types of business transports have been deferred amid different countries. Due to lockdown all domestic flights, railway service (except goods trains), bus, truck, and vehicles transports are suspended with special exemption to those associated with essential

commodities. In almost all the COVID-19 stricken countries, entire educational, commercial, sports and spiritual institutions are closed. Industries are suffering a lot as many of these excepting those related to essential amenities, are closed for a long time in many countries. People belonging to the tourism and transportation industry are also facing utmost difficulties. Production level has gone very low. Economy of many so called powerful countries are now facing the threat of high inflation and increasing unemployment as a result of lack of productivity and excessive expenditure for the treatment and rehabilitation of the COVID-19 victims and their families (OECD Interim Economic Assessment, 2 March 2020). Lockdown will directly affect the GDP of each country in




Fig. 2. Current distribution of COVID-19 in different countries. (Source: WHO, 2020, Accessed date: 18 April 2020).




Fig. 3. Case comparison of WHO regions. (Source: WHO 2020, Accessed date: 18 April 2020).

the major economics (Figs. 5 and 6). For each month there will be an approximate loss of 2% points in annual GDP growth. The tourism sector alone faces an output decrease as high as 50% to 70%. According to World Trade Organization (WTO) and Organization for Economic

Cooperation and Development (OECD) have indicated COVID-19 pandemic as the largest threat to global economy since the financial emergency of 2008–2009. Some of the experts are even saying that human civilization has not faced such an unprecedented emergency after the




Fig. 4. Transmission dynamics of SARS-CoV-2 infection in People.




Fig. 5. The initial impact of containment measures will felt worldwide; Selected countries, in % of GDP at constant prises. (Source: OECD annual national accounts; OECD trade in value added database, and OECD calculations; OECD 2020, http://www.oecd.org/coronavirus/en/, Accessed date: 08 April 2020).

World War-II. So, COVID-19 has undoubtedly put forth a remarkably bad effect on the day to day life of the entire human society and also on the world economy.

5. COVID-19 and global environment

From the very beginning of civilization, human beings gradually started manipulating the nature for its own benefit. In order to satisfy the demand of increasing population industrialization and urbanization became inevitable, and the obvious significance was proved to be detrimental on the global environment. Further, environmental concerns include air pollution, water pollution, climate change, ozone layer depletion, global warming, depletion of ground water level, change of biodiversity & ecosystem, arsenic contamination and many more (Bremer et al., 2019; Coutts et al., 2010). Global warming is a result of the increasing concentration of greenhouse gases (CO₂, CH₄, N₂O etc). Out of the desire to drive the nature as per their own whims and desire, human beings started destroying the nature in numerous ways. As an inevitable consequence environment pollution has become a big issue of the present day.

But, due to the unusual outbreak of COVID-19, almost every big and small cities and villages in the affected countries like China, Taiwan, Italy, USA, France, Spain, Turkey, Iran, Germany, S Korea, U.K, India, Australia and many more, is under partial of total lockdown for a long period of time ranging from a few weeks up to a few months. All local and central administrations worldwide have literally put a ban on free movement of their citizens outside their home in order to avoid community transmission The various religious, cultural, social, scientific, sport, and political mass gathering events like, Hajj, Olympics etc. are cancelled. Various types of industries are not functioning, all types of travels are cancelled. Meanwhile, efforts to restrict transmission of the SARS-CoV-2, by restricting the movement have had an outstanding environmental effect. Due to non-functioning of industries, industrial waste emission has decreased to a large extent. Vehicles are hardly found on the roads resulting almost zero emission of green-house gases and toxic tiny suspended particles to the environment. Due to lesser demand of power in industries, use of fossil fuels or conventional energy sources have been lowered considerably. Ecosystems are being greatly recovered. In many big cities the inhabitants are experiencing a clear sky for the first time in their lives. The pollution level in tourist spots such as forests, sea beaches, hill areas etc. is also shrinking largely. Ozone layer has been found to have revived to some extent. The pandemic has displayed its contrasting consequence on human civilization, in the sense that, on one hand it has executed worldwide destruction, but created a very positive impact on the world environment on the other hand.

6. The global strategy for COVID-19 prevention and control

COVID-19 is a global threat that requires a global response involving all countries. Governments should be responsible for providing exact information to help the public face this novel infection. To decrease the damage connected with COVID-19, public health and infection control actions are immediately necessary to limit the global spread of the virus. Some Global strategies are discussed below to prevention and control COVID-19 disease.

6.1. Restricting mass gathering

Preventing SARS-CoV-2 transmission by restricting mass gathering is an important objective of public health care system. COVID-19 is spread from person to person through direct contact. Thus, the spread of respiratory illnesses during the mass gathering is a major public health concerns with the potential of distribution of these infectious diseases. Based on earlier knowledge of MERS and SARS infections, the WHO in order to reduce the general risk of transmission of COVID-19 has recommended some precautionary measures such as avoiding close contact with people suffering from acute respiratory illness, regular hand washing with soap & water or hand sanitizer particularly after direct contact with sick people or their environment, maintaining cough etiquette, and avoiding unprotected contact with farm or wild animals etc. Govt. of different countries postponed all types of religious, cultural, social, scientific, sport, and political mass gathering events in different parts of the world. Some international events such as Umrah, Hajj and the Olympic Games have already been suspended in order to avoid mass gathering. Media and information technology are providing significant support to the society for prevention and control of COVID-19 outbreak. So, restricting mass gathering could be the primary preventive strategy for COVID-19.

6.2. Medicine

The outbreak of COVID-19 has become a clinical threat to the common population and healthcare workers worldwide. Since this is a very new virus, much knowledge about this novel virus is therefore not available. So far, there are no exact antiviral treatments or vaccines for COVID-19 disease. Therefore, it is an urgent necessity of time to develop a safe and stable COVID-19 vaccine. Anti-viral drugs like




Fig. 6. Partial or complete shutdowns will be felt across the economy; Selected G7 countries, in % of GDP at constant prices. (Source: OECD annual national accounts and OECD calculations, OECD 2020, http://www.oecd.org/coronavirus/en/, Accessed date: 08 April 2020).

Chloroquine and hydroxychloroquine have been found to be effective against COVID-19 in laboratory studies and in-vivo studies (Rolain et al., 2007; WHO, 2020). A recent study by Wang et al. revealed that remdesivir and chloroquine were highly effective in the control of 2019-nCoV in vitro (Wang et al., 2020a, b). Since SARS-CoV-2 is an RNA virus, any vaccines, effective against other RNA viruses such as measles, polio, encephalitis B and influenza, could be the most promising alternatives (Lu, 2020; Liu et al., 2020). So, research will continue to play an important role to discover new drugs or vaccines to prevent and control the COVID-19 infections.

6.3. Forestation

According to World Wildlife Fund, forests cover more than 30% of the Earth's land surface. The unstoppable growths in human population lead to deforestation for resources, industries and land for agriculture or grazing. Rising average temperature and ocean levels, and increased rate of extreme weather events affect not only the global land and ecosystem, but also human health (Ruscio et al., 2015). Deforestations are also linked to different types of disease due to the birds, bat-borne viral outbreaks (Afelt et al., 2018; Olivero et al., 2017). COVID-19 is bat related epidemic. To prevent this outbreak, billions of dollars are being spent to developing diagnostic, treatment, and medicine. But we are neglecting the primary tools of prevention such as forestation and respecting wildlife habitats. It is therefore very much important for the world to realize the significance of the forests, and to encourage afforestation as much as possible throughout the world.

6.4. Controlling human population growth

Environment change is likely to have various impacts on human health. Environment change has been positively related to human influences (IPCC, 2014; Shindell et al., 2017). A very important factor is rapid human population growth, which has been accompanied by enormous economic development and increasing sources of pollution such as

vehicles and polluting industries. In China, the unstoppable increase in human population growth has lead to deforestation and the people eat different types of bats, frogs, snakes, birds, and animals. COVID-19 is reported as a bat related epidemic originated from China (Fan et al., 2019). Revealing exceedingly vulnerable populations to new pathogens by increased human relocation to previously isolated areas may bring together infectious diseases. Control of population growth is therefore very essential in this regard.

6.5. Global ban on wildlife trade

The starting point of COVID-19 outbreak was Hunan seafood market, Wuhan, China. China has temporary put a ban on wildlife markets where animals such as civet, bat, wolf pup, pangolin etc. are kept alive in small cages while on sale. 60% of emerging transferable diseases originate from animals, and 70% of these are supposed to originate in wild animals. So, the unrestricted wildlife trade might enhance the risks of emerging new viruses. Many scientists have urged different countries to permanently ban the wildlife markets and trades. These actions would help to protect human lives from future pandemics like COVID-19. Therefore, considering the national security, biosafety, and public health, it is essential to globally ban wildlife markets and trades.

7. Conclusion

Environment change is one of the biggest and most vital challenges of the 21st century. In spite of all their efforts to restore the nature during the last few decades, humans could only move a few steps forward. But during the last few months, consequences of the pandemic have successfully recovered the environment to a large extent that should definitely set positive impact on global climate change. Whatever be the cause or origin, the occurrence of COVID-19 has emphasized to improve the mutually-affective connection between humans and nature. At this point of time, it is indispensable to control the source of disease, cut off the transmission path, and use the existing drugs & means to

control the progress of the disease proactively. Like all the preceding disasters on the earth, let all be optimistic enough that, human beings will definitely win over the pandemic in due course of time, but they should know the limits to which they can thrust nature, before it is too late.

CRediT authorship contribution statement

Indranil Chakraborty: Writing - original draft, Writing - review & editing.**Prasenjit Maity:** Writing - original draft, Writing - review & editing, Supervision.

Declaration of competing interest

The authors declare no conflict of interest.

Acknowledgements

The authors are thankful to Prof. Syed Sirajul Islam, Department of Chemistry and Chemical Technology, Vidyasagar University, West Bengal, India.

Funding

None.

Ethical approval

Not required.

References

- Afelt, A., Frutos, R., Devaux, C., 2018. Bats, coronaviruses, and deforestation: toward the emergence of novel infectious diseases? Front. Microbiol. 9, 702.
- Allocati, N., Petrucci, A.G., Di Giovanni, P., et al., 2016. Bat-man disease transmission: zoo-notic pathogens from wildlife reservoirs to human populations. Cell Death Dis. 2, 16048.
- Backer, J.A., Klinkenberg, D., Wallinga, J., 2020. Incubation period of 2019 novel coronavirus (2019-nCoV) infections among travelers from Wuhan, China, 20–28 January 2020. Euro Surveill 25 (5), 1–6. https://doi.org/10.2807/1560-7917.ES.2020.25.5. 20 0 0 0 62.
- Bremer, S., Schneider, P., Glavovic, B., 2019. Climate change and amplified representations of natural hazards in institutional cultures. Oxford Res. Encycl. Nat. Hazard Sci. https://doi.org/10.1093/acrefore/9780199389407.013.354
- Coutts, A., Beringer, J., Tapper, N., 2010. Changing urban climate and CO2 emissions: implications for the development of policies for sustainable cities. Urban Policy Res. 28, 27–47.
- Fan, Y., Zhao, K., Shi, Z.L., et al., 2019. Bat coronaviruses in China. Viruses 11, 210.

- Gorbalenya, A.E., Baker, S.C., Baric, R.S., de Groot, R.J., Drosten, C., Gulyaeva, A.A., et al., 2020. Severe acute respiratory syndrome-related coronavirus: the species and its viruses—a statement of the Coronavirus Study Group. Bio Rxiv https://doi.org/10.1101/ 2020.02.07.937862 Feb. 11
- Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., et al., 2020. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. Lancet 395, 497–506. https:// doi.org/10.1016/S0140-6736(20)30183-5.
- Intergovernmental Panel on Climate Change (IPCC), 2014. In: Pachauri, R.K., Meyer, L.A. (Eds.), Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Core Writing Team. IPCC, Geneva, Switzerland, p. 151.

 Liu, W., Morse, J.S., Lalonde, T., Xu, S., 2020. Learning from the past: possible urgent pre-
- Liu, W., Morse, J.S., Lalonde, T., Xu, S., 2020. Learning from the past: possible urgent prevention and treatment options for severe acute respiratory infections caused by 2019-nCoV. Chembiochem https://doi.org/10.1002/cbic.2020 0 0 047 Feb 5 [Epub ahead of print].
- Lu, H., 2020. Drug treatment options for the 2019-new coronavirus (2019-nCoV). Biosci Trends https://doi.org/10.5582/bst.2020.01020 Jan 28 [Epub ahead of print].
- OECD Interim Economic Assessment, 2 March 2020. Coronavirus: the world economy at risk, oecd.org/economic-outlook.
- Olivero, J., Fa, J.E., Real, R., et al., 2017. Recent loss of closed forests is associated with Ebola virus disease outbreaks. Sci. Rep. 7, 14291.
- Phan, L.T., Nguyen, T.V., Luong, Q.C., Nguyen, T.V., Nguyen, H.T., Le, H.Q., et al., 2020. Importation and human-to-human transmission of a novel coronavirus in Vietnam. N. Engl. J. Med. 382 (9), 872–874. https://doi.org/10.1056/NEJMc2001272.
- Rawat, Mukesh, . Coronavirus in India: tracking country's first 50 COVID-19 cases; what numbers tellhttps://www.indiatoday.in/india/story/coronavirus-in-india-trackingcountry-s-first-50-covid-19-cases-what-numbers-tell-1654468-2020-03-12 Retrieved 12 March 2020.
- Riou, J., Althaus, C.L., 2020. Pattern of early human-to-human transmission of Wuhan 2019 novel coronavirus (2019-nCoV), December 2019 to January 2020. Eurosurveillance 25 (4).
- Rolain, J.M., Colson, P., Raoult, D., 2007. Recycling of chloroquine and its hydroxyl analogue to face bacterial, fungal and viral infections in the 21st century. Int. J. Antimicrob. Agents 30, 297–308. https://doi.org/10.1016/j.ijantimicag.2007.05.015.
- Ruscio, B.A., Brubaker, M., Glasser, J., Hueston, W., Hennessy, T.W., 2015. One health–a strategy for resilience in a changing arctic. Int. J. Circumpolar Health 74, 27913.
- Shindell, D., Borgford-Parnell, N., Brauer, M., Haines, A., Kuylenstierna, J.C.I., Leonard, S.A., Ramanathan, V., Ravishankara, A., Amann, M., Srivastava, L., 2017. A climate policy pathway for near- and long-term benefits. Science 356 (6337), 493–494.
- Wang, M., Cao, R., Zhang, L., Yang, X., Liu, J., Xu, M., et al., 2020a. Remdesivir and chloroquine effectively inhibit the recently emerged novel coronavirus (2019-nCoV) in vitro. Cell Res. 30 (3), 269–271. https://doi.org/10.1038/s41422-020-0282-0.
- Wang, C., Horby, P.W., Hayden, F.G., Gao, G.F., 2020b. A novel coronavirus outbreak of global health concern. Lancet.
- World Health Organization, 2004. Summary of probable SARS cases with onset of illness from 1 November 2002 to 31 July 2003. https://www.who.int/csr/sars/country/table2004_04_21/en/, Accessed date: 5 February 2020.
- World Health Organization, 2013. Middle East Respiratory Syndrome Coronavirus (MERSCoV). https://www.who.int/emergencies/mers-cov/en/, Accessed date: 5 February 2020.
- World Health Organization, 2020. Clinical Management of Severe Acute Respiratory Infection When Novel Coronavirus (2019-nCoV) Infection Is Suspected: Interim Guidance.
- Yoo, J.H., 2020. The fight against the 2019-nCoV outbreak: an arduous march has just begun. J. Korean Med. Sci., 35–56 https://doi.org/10.3346/jkms.2020.35.56.